

JUN 12 2006

**BLAKELY
SOKOLOFF
TAYLOR &
ZAFMAN**A LIMITED LIABILITY
PARTNERSHIP INCLUDING
LAW CORPORATIONS1279 OAKMEAD PARKWAY
SUNNYVALE, CALIFORNIA 94086
(408) 720-8598 (Telephone)
(408) 720-8397 (Facsimile)**FACSIMILE TRANSMITTAL SHEET**

Deliver to: _____
Firm Name: U.S. Patent and Trademark Office
Fax Number: (571) 273-8300 (Central Facsimile Number)
From: Daniel E. Ovanezian
Date: 6/12/06 Time: _____
Operator: _____ Matter: 42390.P13709
Number of pages including cover sheet: 5

Message: Re: Application No. 10/813,941 filed 3/30/04
Attached please find a Supplemental Amendment and Response to the Office Action
mailed 12/22/05 (4 pages).

CONFIDENTIALITY NOTE

The documents accompanying this facsimile transmission contain information from the law firm of Blakely Sokoloff Taylor & Zafman that is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

**IF YOU EXPERIENCE ANY DIFFICULTY IN RECEIVING THE ABOVE PAGES,
PLEASE CALL (408) 720-8598 AND ASK FOR THE OPERATOR NAMED ABOVE.**

RECEIVED
CENTRAL FAX CENTER
JUN 12 2006

Attorney Docket No. 42390.P13709

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Semyon Lebedev

Serial No. 10/813,941

Filed: 3/30/04

For: FULLY DIFFERENTIAL
AMPLIFIER WITH START UP
CIRCUIT

EXAMINER: CHOE, HENRY

ART UNIT: 2817

Commissioner for Patents
PO Box 1450
Alexandria, Virginia 22313-1450SUPPLEMENTAL AMENDMENT AND RESPONSE TO OFFICE ACTION

Sir:

In response to the Office Action mailed December 22, 2005, applicant respectfully requests the Examiner to enter the following amendments and consider the following remarks:

Amendments to the Drawings begin on page 2 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.